

Koloncancerpatienter 2023

Patientkarakteristika	Region Hovedstaden n(%)	Region Sjælland n(%)	Region Syddanmark n(%)	Region Midtjylland n(%)	Region Nordjylland n(%)	Danmark n(%)
Aldersgruppen						
<= 49	41 (6)	12 (3)	22 (4)	22 (3)	8 (3)	105 (4)
50 - 59	87 (12)	48 (10)	55 (10)	73 (11)	21 (7)	284 (10)
60 - 69	132 (18)	99 (21)	108 (19)	136 (21)	60 (19)	535 (20)
70 - 79	245 (34)	171 (37)	212 (37)	219 (33)	125 (40)	972 (36)
>= 80	216 (30)	136 (29)	179 (31)	207 (32)	102 (32)	840 (31)
Køn						
Mand	363 (50)	237 (51)	288 (50)	340 (52)	149 (47)	1.377 (50)
Kvinde	358 (50)	229 (49)	288 (50)	317 (48)	167 (53)	1.359 (50)
Charlson Komorbiditets Index						
0	382 (53)	240 (52)	285 (49)	358 (54)	163 (52)	1.428 (52)
1-2	229 (32)	158 (34)	196 (34)	199 (30)	117 (37)	899 (33)
3+	110 (15)	68 (15)	95 (16)	100 (15)	36 (11)	409 (15)
Klinisk stadium (UICC)						
Klinisk UICC stadium I	203 (28)	176 (38)	147 (26)	211 (32)	76 (24)	813 (30)
Klinisk UICC stadium II	72 (10)	97 (21)	69 (12)	97 (15)	73 (23)	408 (15)
Klinisk UICC stadium III	220 (31)	81 (17)	219 (38)	183 (28)	93 (29)	796 (29)
Klinisk UICC stadium IV	172 (24)	99 (21)	117 (20)	132 (20)	67 (21)	587 (21)
Klinisk UICC stadium ikke vurderet	54 (7)	13 (3)	24 (4)	34 (5)	7 (2)	132 (5)
Patologisk stadium (UICC)						
Patologisk UICC stadium 0	5 (1)	9 (2)	14 (2)	3 (0)	6 (2)	37 (1)
Patologisk UICC stadium I	110 (15)	71 (15)	87 (15)	105 (16)	44 (14)	417 (15)
Patologisk UICC stadium II	165 (23)	109 (23)	158 (27)	171 (26)	80 (25)	683 (25)
Patologisk UICC stadium III	158 (22)	76 (16)	127 (22)	151 (23)	73 (23)	585 (21)
Patologisk UICC stadium IV	178 (25)	99 (21)	116 (20)	137 (21)	71 (22)	601 (22)
Patologisk UICC stadium ikke vurderet	105 (15)	102 (22)	74 (13)	90 (14)	42 (13)	413 (15)
Operation						
Ja	573 (79)	347 (74)	482 (84)	554 (84)	257 (81)	2.213 (81)
Nej	148 (21)	119 (26)	94 (16)	103 (16)	59 (19)	523 (19)
Prioritet						
Elektiv	457 (63)	284 (61)	401 (70)	450 (68)	206 (65)	1.798 (66)
Akut	59 (8)	29 (6)	48 (8)	42 (6)	19 (6)	197 (7)
n/a	205 (28)	153 (33)	127 (22)	165 (25)	91 (29)	741 (27)
Intention						
Kurativt	494 (69)	304 (65)	422 (73)	472 (72)	220 (70)	1.912 (70)
Compromised resection	18 (2)	4 (1)	13 (2)	7 (1)	5 (2)	47 (2)
Palliativt	4 (1)	2 (0)	13 (2)	12 (2)	0 (0)	31 (1)
n/a	205 (28)	156 (33)	128 (22)	166 (25)	91 (29)	746 (27)
Histologi						
Adenokarcinom	542 (75)	328 (70)	473 (82)	468 (71)	250 (79)	2.061 (75)
Lavt differentieret adenokarcinom	50 (7)	14 (3)	30 (5)	74 (11)	18 (6)	186 (7)
Andet karcinom	77 (11)	48 (10)	40 (7)	81 (12)	30 (9)	276 (10)
Uoplyst	52 (7)	76 (16)	33 (6)	34 (5)	18 (6)	213 (8)
Mismatch repair deficiency						
pMMR	461 (64)	311 (67)	385 (67)	439 (67)	215 (68)	1.811 (66)
dMMR	166 (23)	33 (7)	124 (22)	145 (22)	74 (23)	542 (20)
Uoplyst	94 (13)	122 (26)	67 (12)	73 (11)	27 (9)	383 (14)
I alt						
Patienter	721 (26)	466 (17)	576 (21)	657 (24)	316 (12)	2.736 (100)

Patientkarakteristika	Bispebjerg og Frederiksberg Hospital n(%)	Hospitalerne i Nordsjælland n(%)	Herlev og Gentofte Hospital n(%)	Amager og Hvidovre Hospital n(%)	Region Hovedstaden n(%)
Aldersgruppen					
<= 49	13 (8)	3 (2)	14 (6)	11 (7)	41 (6)
50 - 59	23 (14)	17 (10)	19 (9)	28 (17)	87 (12)
60 - 69	29 (18)	33 (19)	35 (16)	35 (21)	132 (18)
70 - 79	51 (32)	67 (39)	71 (32)	56 (33)	245 (34)
>= 80	43 (27)	52 (30)	82 (37)	39 (23)	216 (30)
Køn					
Mand	85 (53)	94 (55)	98 (44)	86 (51)	363 (50)
Kvinde	74 (47)	78 (45)	123 (56)	83 (49)	358 (50)
Charlson Komorbiditets Index					
0	88 (55)	87 (51)	120 (54)	87 (51)	382 (53)
1-2	46 (29)	57 (33)	69 (31)	57 (34)	229 (32)
3+	25 (16)	28 (16)	32 (14)	25 (15)	110 (15)
Klinisk stadium (UICC)					
Klinisk UICC stadium I	61 (38)	35 (20)	76 (34)	31 (18)	203 (28)
Klinisk UICC stadium II	28 (18)	10 (6)	11 (5)	23 (14)	72 (10)
Klinisk UICC stadium III	28 (18)	69 (40)	71 (32)	52 (31)	220 (31)
Klinisk UICC stadium IV	36 (23)	38 (22)	50 (23)	48 (28)	172 (24)
Klinisk UICC stadium ikke vurderet	6 (4)	20 (12)	13 (6)	15 (9)	54 (7)
Patologisk stadium (UICC)					
Patologisk UICC stadium 0	1 (1)	1 (1)	1 (0)	2 (1)	5 (1)
Patologisk UICC stadium I	30 (19)	22 (13)	27 (12)	31 (18)	110 (15)
Patologisk UICC stadium II	32 (20)	43 (25)	52 (24)	38 (22)	165 (23)
Patologisk UICC stadium III	41 (26)	44 (26)	49 (22)	24 (14)	158 (22)
Patologisk UICC stadium IV	40 (25)	38 (22)	52 (24)	48 (28)	178 (25)
Patologisk UICC stadium ikke vurderet	15 (9)	24 (14)	40 (18)	26 (15)	105 (15)
Operation					
Ja	130 (82)	140 (81)	173 (78)	130 (77)	573 (79)
Nej	29 (18)	32 (19)	48 (22)	39 (23)	148 (21)
Prioritet					
Elektiv	98 (62)	112 (65)	134 (61)	113 (67)	457 (63)
Akut	18 (11)	13 (8)	21 (10)	7 (4)	59 (8)
n/a	43 (27)	47 (27)	66 (30)	49 (29)	205 (28)
Intention					
Kurativt	111 (70)	120 (70)	144 (65)	119 (70)	494 (69)
Compromised resection	3 (2)	4 (2)	11 (5)	# (.)	18 (2)
Palliativt	2 (1)	1 (1)	# (.)	1 (1)	4 (1)
n/a	43 (27)	47 (27)	66 (30)	49 (29)	205 (28)
Histologi					
Adenokarcinom	123 (77)	124 (72)	165 (75)	130 (77)	542 (75)
Lavt differentieret adenokarcinom	10 (6)	16 (9)	15 (7)	9 (5)	50 (7)
Andet karcinom	13 (8)	23 (13)	22 (10)	19 (11)	77 (11)
Uoplyst	13 (8)	9 (5)	19 (9)	11 (7)	52 (7)
Mismatch repair deficiency					
pMMR	102 (64)	113 (66)	145 (66)	101 (60)	461 (64)
dMMR	32 (20)	39 (23)	50 (23)	45 (27)	166 (23)
Uoplyst	25 (16)	20 (12)	26 (12)	23 (14)	94 (13)
I alt					
Patienter	159 (22)	172 (24)	221 (31)	169 (23)	721 (100)

Patientkarakteristika	Sjællands Universitetshospit al		Region Sjælland n(%)
	Næstved, Slagelse n(%)	og Ringsted n(%)	
Aldersgruppen			
<= 49	9 (3)	3 (2)	12 (3)
50 - 59	29 (11)	19 (10)	48 (10)
60 - 69	58 (22)	41 (21)	99 (21)
70 - 79	96 (36)	75 (38)	171 (37)
>= 80	77 (29)	59 (30)	136 (29)
Køn			
Mand	125 (46)	112 (57)	237 (51)
Kvinde	144 (54)	85 (43)	229 (49)
Charlson Komorbiditets Index			
0	137 (51)	103 (52)	240 (52)
1-2	94 (35)	64 (32)	158 (34)
3+	38 (14)	30 (15)	68 (15)
Klinisk stadium (UICC)			
Klinisk UICC stadium I	113 (42)	63 (32)	176 (38)
Klinisk UICC stadium II	63 (23)	34 (17)	97 (21)
Klinisk UICC stadium III	30 (11)	51 (26)	81 (17)
Klinisk UICC stadium IV	57 (21)	42 (21)	99 (21)
Klinisk UICC stadium ikke vurderet	6 (2)	7 (4)	13 (3)
Patologisk stadium (UICC)			
Patologisk UICC stadium 0	9 (3)	# (.)	9 (2)
Patologisk UICC stadium I	37 (14)	34 (17)	71 (15)
Patologisk UICC stadium II	63 (23)	46 (23)	109 (23)
Patologisk UICC stadium III	43 (16)	33 (17)	76 (16)
Patologisk UICC stadium IV	57 (21)	42 (21)	99 (21)
Patologisk UICC stadium ikke vurderet	60 (22)	42 (21)	102 (22)
OpererATION			
Ja	211 (78)	136 (69)	347 (74)
Nej	58 (22)	61 (31)	119 (26)
Prioritet			
Elektiv	163 (61)	121 (61)	284 (61)
Akut	18 (7)	11 (6)	29 (6)
n/a	88 (33)	65 (33)	153 (33)
Intention			
Kurativt	175 (65)	129 (65)	304 (65)
Compromised resection	4 (1)	# (.)	4 (1)
Palliativt	1 (0)	1 (1)	2 (0)
n/a	89 (33)	67 (34)	156 (33)
Histologi			
Adenokarcinom	190 (71)	138 (70)	328 (70)
Lavt differentieret adenokarcinom	12 (4)	2 (1)	14 (3)
Andet karcinom	27 (10)	21 (11)	48 (10)
Uoplyst	40 (15)	36 (18)	76 (16)
Mismatch repair deficiency			
pMMR	182 (68)	129 (65)	311 (67)
dMMR	19 (7)	14 (7)	33 (7)
Uoplyst	68 (25)	54 (27)	122 (26)
I alt			
Patienter	269 (58)	197 (42)	466 (100)

Patientkarakteristika	Odense				Region Syddanmark n(%)
	Sygehus Lillebælt n(%)	Universitetshospitalet - Svendborg n(%)	Esbjerg Sygehus Grindsted Sygehus n(%)	Sygehus Sønderjylland n(%)	
Aldersgruppen					
<= 49	5 (4)	12 (5)	2 (2)	3 (3)	22 (4)
50 - 59	11 (8)	19 (8)	17 (18)	8 (7)	55 (10)
60 - 69	32 (24)	43 (18)	18 (19)	15 (14)	108 (19)
70 - 79	46 (34)	97 (41)	26 (28)	43 (39)	212 (37)
>= 80	41 (30)	66 (28)	30 (32)	42 (38)	179 (31)
Køn					
Mand	74 (55)	107 (45)	49 (53)	58 (52)	288 (50)
Kvinde	61 (45)	130 (55)	44 (47)	53 (48)	288 (50)
Charlson Komorbiditets Index					
0	63 (47)	122 (51)	47 (51)	53 (48)	285 (49)
1-2	45 (33)	83 (35)	34 (37)	34 (31)	196 (34)
3+	27 (20)	32 (14)	12 (13)	24 (22)	95 (16)
Klinisk stadium (UICC)					
Klinisk UICC stadium I	30 (22)	63 (27)	19 (20)	35 (32)	147 (26)
Klinisk UICC stadium II	8 (6)	22 (9)	18 (19)	21 (19)	69 (12)
Klinisk UICC stadium III	78 (58)	79 (33)	31 (33)	31 (28)	219 (38)
Klinisk UICC stadium IV	18 (13)	56 (24)	19 (20)	24 (22)	117 (20)
Klinisk UICC stadium ikke vurderet	1 (1)	17 (7)	6 (6)	# (.)	24 (4)
Patologisk stadium (UICC)					
Patologisk UICC stadium 0	5 (4)	3 (1)	6 (6)	# (.)	14 (2)
Patologisk UICC stadium I	23 (17)	32 (14)	14 (15)	18 (16)	87 (15)
Patologisk UICC stadium II	42 (31)	70 (30)	15 (16)	31 (28)	158 (27)
Patologisk UICC stadium III	28 (21)	47 (20)	28 (30)	24 (22)	127 (22)
Patologisk UICC stadium IV	18 (13)	56 (24)	19 (20)	23 (21)	116 (20)
Patologisk UICC stadium ikke vurderet	19 (14)	29 (12)	11 (12)	15 (14)	74 (13)
Operation					
Ja	118 (87)	205 (86)	74 (80)	85 (77)	482 (84)
Nej	17 (13)	32 (14)	19 (20)	26 (23)	94 (16)
Prioritet					
Elektiv	105 (78)	155 (65)	63 (68)	78 (70)	401 (70)
Akut	5 (4)	30 (13)	9 (10)	4 (4)	48 (8)
n/a	25 (19)	52 (22)	21 (23)	29 (26)	127 (22)
Intention					
Kurativt	101 (75)	172 (73)	67 (72)	82 (74)	422 (73)
Compromised resection	5 (4)	6 (3)	2 (2)	# (.)	13 (2)
Palliativt	3 (2)	7 (3)	3 (3)	# (.)	13 (2)
n/a	26 (19)	52 (22)	21 (23)	29 (26)	128 (22)
Histologi					
Adenokarcinom	109 (81)	192 (81)	77 (83)	95 (86)	473 (82)
Lavt differentieret adenokarcinom	9 (7)	11 (5)	6 (6)	4 (4)	30 (5)
Andet karcinom	9 (7)	20 (8)	5 (5)	6 (5)	40 (7)
Uoplyst	8 (6)	14 (6)	5 (5)	6 (5)	33 (6)
Mismatch repair deficiency					
pMMR	87 (64)	165 (70)	54 (58)	79 (71)	385 (67)
dMMR	33 (24)	45 (19)	26 (28)	20 (18)	124 (22)
Uoplyst	15 (11)	27 (11)	13 (14)	12 (11)	67 (12)
I alt					
Patienter	135 (23)	237 (41)	93 (16)	111 (19)	576 (100)

Patientkarakteristika	Aarhus					Region Midtjylland n(%)
	Universitetshospitalet n(%)	Regionshospitalet Gødstrup n(%)	Regionshospitalet Horsens n(%)	Regionshospitalet Randers n(%)	Hospitalsenhed Midt n(%)	
Aldersgruppen						
<= 49	2 (4)	4 (2)	7 (7)	5 (2)	4 (4)	22 (3)
50 - 59	9 (18)	23 (13)	6 (6)	24 (11)	11 (10)	73 (11)
60 - 69	19 (39)	31 (17)	28 (28)	43 (20)	15 (14)	136 (21)
70 - 79	8 (16)	65 (35)	40 (40)	69 (32)	37 (35)	219 (33)
>= 80	11 (22)	61 (33)	19 (19)	76 (35)	40 (37)	207 (32)
Køn						
Mand	25 (51)	96 (52)	51 (51)	117 (54)	51 (48)	340 (52)
Kvinde	24 (49)	88 (48)	49 (49)	100 (46)	56 (52)	317 (48)
Charlson Komorbiditets Index						
0	30 (61)	105 (57)	55 (55)	118 (54)	50 (47)	358 (54)
1-2	16 (33)	45 (24)	31 (31)	67 (31)	40 (37)	199 (30)
3+	3 (6)	34 (18)	14 (14)	32 (15)	17 (16)	100 (15)
Klinisk stadium (UICC)						
Klinisk UICC stadium I	3 (6)	46 (25)	41 (41)	78 (36)	43 (40)	211 (32)
Klinisk UICC stadium II	11 (22)	10 (5)	22 (22)	42 (19)	12 (11)	97 (15)
Klinisk UICC stadium III	2 (4)	75 (41)	14 (14)	58 (27)	34 (32)	183 (28)
Klinisk UICC stadium IV	28 (57)	43 (23)	14 (14)	31 (14)	16 (15)	132 (20)
Klinisk UICC stadium ikke vurderet	5 (10)	10 (5)	9 (9)	8 (4)	2 (2)	34 (5)
Patologisk stadium (UICC)						
Patologisk UICC stadium 0	# (.)	2 (1)	1 (1)	# (.)	# (.)	3 (0)
Patologisk UICC stadium I	3 (6)	25 (14)	19 (19)	33 (15)	25 (23)	105 (16)
Patologisk UICC stadium II	6 (12)	46 (25)	30 (30)	60 (28)	29 (27)	171 (26)
Patologisk UICC stadium III	6 (12)	45 (24)	23 (23)	53 (24)	24 (22)	151 (23)
Patologisk UICC stadium IV	27 (55)	44 (24)	15 (15)	35 (16)	16 (15)	137 (21)
Patologisk UICC stadium ikke vurderet	7 (14)	22 (12)	12 (12)	36 (17)	13 (12)	90 (14)
OpererATION						
Ja	41 (84)	158 (86)	90 (90)	173 (80)	92 (86)	554 (84)
Nej	8 (16)	26 (14)	10 (10)	44 (20)	15 (14)	103 (16)
Prioritet						
Elektiv	24 (49)	115 (63)	73 (73)	159 (73)	79 (74)	450 (68)
Akut	9 (18)	17 (9)	9 (9)	1 (0)	6 (6)	42 (6)
n/a	16 (33)	52 (28)	18 (18)	57 (26)	22 (21)	165 (25)
Intention						
Kurativt	26 (53)	125 (68)	81 (81)	159 (73)	81 (76)	472 (72)
Compromised resection	2 (4)	1 (1)	1 (1)	1 (0)	2 (2)	7 (1)
Palliativt	5 (10)	5 (3)	# (.)	# (.)	2 (2)	12 (2)
n/a	16 (33)	53 (29)	18 (18)	57 (26)	22 (21)	166 (25)
Histologi						
Adenokarcinom	27 (55)	138 (75)	76 (76)	150 (69)	77 (72)	468 (71)
Lavt differentieret adenokarcinom	8 (16)	28 (15)	6 (6)	23 (11)	9 (8)	74 (11)
Andet karcinom	9 (18)	10 (5)	14 (14)	31 (14)	17 (16)	81 (12)
Uoplyst	5 (10)	8 (4)	4 (4)	13 (6)	4 (4)	34 (5)
Mismatch repair deficiency						
pMMR	29 (59)	128 (70)	70 (70)	134 (62)	78 (73)	439 (67)
dMMR	8 (16)	40 (22)	17 (17)	56 (26)	24 (22)	145 (22)
Uoplyst	12 (24)	16 (9)	13 (13)	27 (12)	5 (5)	73 (11)
I alt						
Patienter	49 (7)	184 (28)	100 (15)	217 (33)	107 (16)	657 (100)

Patientkarakteristika	Aalborg		
	Universitetshospitalet n(%)	Regionshospital Nordjylland n(%)	Region Nordjylland n(%)
Aldersgruppen			
<= 49	4 (2)	4 (4)	8 (3)
50 - 59	16 (7)	5 (5)	21 (7)
60 - 69	44 (20)	16 (18)	60 (19)
70 - 79	92 (41)	33 (36)	125 (40)
>= 80	69 (31)	33 (36)	102 (32)
Køn			
Mand	102 (45)	47 (52)	149 (47)
Kvinde	123 (55)	44 (48)	167 (53)
Charlson Komorbiditets Index			
0	118 (52)	45 (49)	163 (52)
1-2	80 (36)	37 (41)	117 (37)
3+	27 (12)	9 (10)	36 (11)
Klinisk stadium (UICC)			
Klinisk UICC stadium I	57 (25)	19 (21)	76 (24)
Klinisk UICC stadium II	49 (22)	24 (26)	73 (23)
Klinisk UICC stadium III	66 (29)	27 (30)	93 (29)
Klinisk UICC stadium IV	48 (21)	19 (21)	67 (21)
Klinisk UICC stadium ikke vurderet	5 (2)	2 (2)	7 (2)
Patologisk stadium (UICC)			
Patologisk UICC stadium 0	6 (3)	# (.)	6 (2)
Patologisk UICC stadium I	31 (14)	13 (14)	44 (14)
Patologisk UICC stadium II	58 (26)	22 (24)	80 (25)
Patologisk UICC stadium III	52 (23)	21 (23)	73 (23)
Patologisk UICC stadium IV	51 (23)	20 (22)	71 (22)
Patologisk UICC stadium ikke vurderet	27 (12)	15 (16)	42 (13)
OpererATION			
Ja	188 (84)	69 (76)	257 (81)
Nej	37 (16)	22 (24)	59 (19)
Prioritet			
Elektiv	150 (67)	56 (62)	206 (65)
Akut	15 (7)	4 (4)	19 (6)
n/a	60 (27)	31 (34)	91 (29)
Intention			
Kurativt	161 (72)	59 (65)	220 (70)
Compromised resection	4 (2)	1 (1)	5 (2)
Palliativt	# (.)	# (.)	# (.)
n/a	60 (27)	31 (34)	91 (29)
Histologi			
Adenokarcinom	175 (78)	75 (82)	250 (79)
Lavt differentieret adenokarcinom	16 (7)	2 (2)	18 (6)
Andet karcinom	21 (9)	9 (10)	30 (9)
Uoplyst	13 (6)	5 (5)	18 (6)
Mismatch repair deficiency			
pMMR	146 (65)	69 (76)	215 (68)
dMMR	58 (26)	16 (18)	74 (23)
Uoplyst	21 (9)	6 (7)	27 (9)
I alt			
Patienter	225 (71)	91 (29)	316 (100)